



More than colour

CHROMATIC ACRYLIC ROAD MARKING PAINT

PRODUCT DESCRIPTION AND USES:

Chromatic Acrylic Road Marking Paint is a durable hardwearing finish based on special acrylic and other resins to score over conventional Road Marking Paints. It's designed for use on Traffic lines and sign markings on general Road surfaces and parking spaces. It is manufactured from High quality pigments and a mixture of high-quality resins for added durability, adhesion, flexibility and hardness to road substrates like stone, asphalt and concrete etc. A Reflective finish can be achieved if required by sprinkling Ballotine beads on to the wet paint film or by thoroughly dispersing ballotine beads in the paint prior to application.

SURFACE PREPARATION:

Dust off all loosely bound materials from the surface to ensure its perfectly clean and dry at the time of painting. Liberally apply by brush one coat of Chromatic acrylic road marking paint. For Machine application, thin to the required spray viscosity with Chromatic Road Marking thinner.

FINISH:

Matt

APPLICATION:

By brush or machine.

DRYING TIME:

Touch Dry: 5-15 minutes at 25°C, Hard Dry: 24 hours at 25°C

COLOUR RANGE:

Black, White and Yellow

SPREADING CAPACITY:

Approximately 5-7M² per litre but can vary depending on the surface texture and porosity

PACK SIZES:

1 liter, 4 liters and 20 liters

THINNING:

Thin with Chromatic Acrylic Road Marking Thinner. The percentage of Thinning depends on the mode of application

GLOSS LEVEL:

(12% at 60°C Gloss Head)

SOLIDS (BY WEIGHT):

73+1%

SOLIDS (BY VOLUME):

47+1%

DISCLAIMER

The recommendations contained herein are given in good faith and meant to guide the user in accordance with good painting practices. They are gained from our tests and experiences and are believed to be accurate and reliable.

No warranty/guarantee is implied by the recommendations contained herein since the conditions of use; application method, substrate and cleanliness of the substrate are beyond the control of Chromatic Paints Uganda.

Technology may change with time, necessitating changes to this Technical Data Sheet (TDS). Chromatic Paints Uganda reserves the right to amend the TDS without any further notice. It is the responsibility of the user to ensure that the latest TDS is being used for reference

For health & safety information, please refer to our Material Safety Data Sheet (MSDS)

