

CHROMATIC ITALIAN STUCCO PAINT

PRODUCT DESCRIPTION AND USES:

Chromatic Italian Stucco Paint is a water-based putty that when applied correctly gives a chance for boundless patterns and a shinny marble finish ideal for interior applications. It is easy to apply, has no shrinkage and does not easily crack.

SURFACE PREPARATION:

For new surfaces, sand the surface properly and ensure the surface is even then apply 2 coat of Chromatic Vinyl Matt. Then apply 3 coat of Italian stucco, let dry and then polish with waterproof sand paper until the required finish is achieved.

For previously painted surfaces, scrub any loosely bound paint by wire-brush, apply one coat of Chromatic Penetrating Primer followed by a coat of vinyl matt then apply 3 coats of Italian stucco and polish to the required finish.

FINISH: Smooth shinny finish

APPLICATION: Steel float/Trowel and Putty Knife.

EQUIPMENT CLEANER: Clean water if required - clean tools and brushes with water

immediately after use

DRYING TIME: 2-4 hours depending on film thickness and atmospheric

conditions

COLOUR RANGE: Over 3000 house shades

SPREADING CAPACITY: 2m² per litre

PACK SIZES: 1 liter, 4 liters and 20 liters

STORAGE: Store in a cool & dry place

SHELF-LIFE: 2 years, if stored as required

DISCLAIMER

The recommendations contained herein are given in good faith and meant to guide the user in accordance with good painting practices. They are gained from our tests and experiences and are believed to be accurate and reliable.

No warranty/guarantee is implied by the recommendations contained herein since the conditions of use; application method, substrate and cleanliness of the substrate are beyond the control of Chromatic Paints Uganda.

Technology may change with time, necessitating changes to this Technical Data Sheet (TDS). Chromatic Paints Uganda reserves the right to amend the TDS without any further notice. It is the responsibility of the user to ensure that the latest TDS is being used for reference

For health & safety information, please refer to our Material Safety Data Sheet (MSDS)



